



**TRUCK-GUARD®**  
Commercial Lubricant Range



**TRUCK-GUARD® - Comprehensive solutions for commercial fleets.**

The TRUCK-GUARD® range provides comprehensive solutions to address the challenges faced by commercial vehicles in various applications, including on-highway vehicles such as buses, coaches, haulage, and off-highway heavy-duty equipment.

These lubricants are formulated to extend engine component life, lower oil and fuel consumption, and reduce particulate emissions, even under demanding conditions. Our lubricants are compatible with different engine technologies, ensuring compliance with emission standards, such as Euro I, II, III, IV, V, and VI. Rock Oil is committed to providing the highest quality commercial fleet lubricants and support products, ensuring optimal performance, efficiency, and reliability for your vehicles.

**TRUCK-GUARD: HDDO ENGINE OILS 15W-40**

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® 15W-40</b>	Heavy duty mixed fleet engine oil	API CI-4+, CI-4 • ACEA E7 (incl. E3 & E5 obsolete specifications) • JASO DH-1 • DDC 93K215 • DEUTZ DQC III-18, DQC-II-05, DQC-II-10 • MACK EO-M PLUS, EO-M • MAN M3275 & M271 • MERCEDES-BENZ/DAIMLER TRUCK 228.3 (DTFR 15B110), 228.1 • MTU TYPE 2 & 1 • RVI RLD-2, RLD • CUMMINS 20078, 20077, 20076, 20072, 20071 • CATERPILLAR ECF-2, ECF-1a • VOLVO VDS-3, VDS-2 & VDS
<b>TRUCK-GUARD® LS 15W-40</b>	Ultra high performance diesel (UHPD), low ash, semi-synthetic engine oil	API CK-4, CJ-4, CI-4 • ACEA E7, E11 • CATERPILLAR ECF-3, ECF-2 & ECF-1a • CUMMINS 20086 • DETROIT DIESEL 93K222 • DEUTZ DQC-III-18-LA, DQC-III-10-LA • MACK EO-S 4.5 • MAN M3775, M3575 • MERCEDES-BENZ/DAIMLER TRUCK 228.31 (DTFR 15C100) • MTU TYPE 2.1 • RENAULT RVI RLD-4, RLD-3 • VOLVO VDS-4.5 • FORD WSS M2C171 F1

**TRUCK-GUARD: HDDO ENGINE OILS 10W-30**

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® 10W-30</b>	Heavy duty mixed fleet engine oil	API CI-4 • ACEA E7-16 • JASO DH-1-15 • DDC 93K215 • DEUTZ DQC-III-10 • MACK EO-M • MAN M3275 • MERCEDES-BENZ/DAIMLER TRUCK 228.3 (DTFR 15B110) • MTU TYPE 2 • RVI RLD-2 • CUMMINS 20078 • VOLVO VDS-3
<b>TRUCK-GUARD® LS 10W-30</b>	Ultra high performance diesel (UHPD), low ash, semi-synthetic engine oil	API CK-4, CJ-4, CI-4 • ACEA E7, E11 • CATERPILLAR ECF-3, ECF-2 & ECF-1a • CUMMINS 20086 • DETROIT DIESEL 93K222 • DEUTZ DQC-III-10-LA • MACK EO-S 4.5 • MAN M3775 • MERCEDES-BENZ/DAIMLER TRUCK 228.31 (DTFR 15C100) • MTU TYPE 2.1 • RENAULT RVI RLD-4 • VOLVO VDS-4.5
<b>TRUCK-GUARD® ELITE LS 10W-30</b>	Ultra high performance diesel (UHPD), severe drain interval, heavy-duty engine oil	API CK-4, CJ-4, CI-4 • ACEA E8, E7, E11 • JASO DH-2 • CATERPILLAR ECF-3, ECF-2, ECF-1a • CUMMINS CES 20086, CES 20081 • DAF PSQL 2.1E-LD • DETROIT DIESEL DDC 93K222, 93K218 • DEUTZ DQC-IV-18LA, DQC-IV-10LA, DQC-III-10LA • MACK EOS-4.5, EO-O PP, EO-N PP • MAN M3677, M3477 & M3271.1 • MERCEDES/DAIMLER TRUCK MB 228.51 (DTFR 15C120) MB 228.51 (DTFR 15C110) & MB 228.31 (DTFR 15C100) • MTU TYPE 3.1 • RENAULT RLD-3, RLD-2, RLD & RGD • VOLVO VDS-4.5, VDS-4, VDS-3, VDS-2, VDS & CNG

**TRUCK-GUARD: HDDO ENGINE OILS 10W-40**

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® 10W-40</b>	Heavy duty mixed fleet engine oil	API CI-4+, CI-4 • ACEA E7 (incl. E3 & E5 obsolete specifications) • JASO DH-1 • DDC 93K215 • DEUTZ DQC-II-05, DQC-II-10 • MACK EO-M PLUS, EO-M • MAN M3275 & M271 • MERCEDES-BENZ/DAIMLER TRUCK MB 228.3 (DTFR 15B110), MB 228.1 • MTU TYPE 2&1 • RVI RLD-2, RLD • CUMMINS 20078, 20077, 20076, 20072, 20071 • CATERPILLAR ECF-2, ECF-1a • VOLVO VDS-3, VDS-2 & VDS



**TRUCK-GUARD®**  
Commerical Lubricant Range



**TRUCK-GUARD: HDDO ENGINE OILS 10W-40 (CONT.)**

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® PLUS 10W-40</b>	Extreme drain interval, heavy duty mixed fleet engine oil	API CI-4 • ACEA E4, E7 (incl. E3 & E5 obsolete specifications) • JASO DH-1 • DAF EXTENDED DRAIN • DDC 93K215 • DEUTZ DQC-IV-18, DQC-IV-10 • MACK EO-N, EO-M PLUS, EO-M • MAN M3277, M3275 & M271 • MERCEDES-BENZ/DAIMLER TRUCK 228.5 (DTFR 15B120), MB 228.3 (DTFR 15B110), 228.1 • MTU TYPE 3, 2 & 1 • RVI RXD, RLD-2 & RLD • CUMMINS 20078, 20077, 20076, 20072, 20071 • CATERPILLAR ECF-2, ECF-1a • VOLVO VDS-3, VDS-2 & VDS
<b>TRUCK-GUARD® PLUS LD 10W-40</b>	Extreme drain interval, heavy duty mixed fleet engine oil	API CF • ACEA E4, E7 (incl. E3 & E5 obsolete specifications) • CATERPILLAR ECF-2, ECF-1a • DAF EXTENDED DRAIN • DDC 93K215 • DEUTZ DQC-IV-10, DQC-III-10, DQC-III-05 • MACK EO-N, EO-M PLUS, EO-M • MAN M3277, M3275 & M271 • MERCEDES-BENZ/DAIMLER TRUCK 228.5 (DTFR 15B120), MB 228.3 (DTFR 15B110), 228.1 & MB 235.28 (DTFR 13D110) • MTU TYPE 3, 2 & 1 • RVI RXD, RLD-2, RLD & RD-2 • SCANIA LDF-3, LDF-2 & LDF • VOITH CLASS B • VOLVO VDS-3, VDS-2 & VDS
<b>TRUCK-GUARD® LS 10W-40</b>	Low ash, synthetic based agricultural and off-highway engine oil	API CK-4, CJ-4, CI-4 • ACEA E7 & E11 • JASO DH-2 • CATERPILLAR ECF-3, ECF-2 & ECF-1a • CNH MAT 3521 • CUMMINS 20086 • DETROIT DIESEL 93K222 • DEUTZ DQC-III-10-LA • MACK EO-S 4.5 • MAN M3575 • MERCEDES-BENZ/DAIMLER TRUCK 228.31 (DTFR 15C100) • MTU TYPE 2.1 • RENAULT RVI RLD-4 • SCANIA LA (LOW ASH) • VOLVO VDS-4.5 • ALLISON C-4
<b>TRUCK-GUARD® PLUS LS 10W-40</b>	Fully synthetic, low ash engine oil	ACEA E6 • MERCEDES/DAIMLER TRUCK 228.51 (DTFR 15C110) • DAF
<b>TRUCK-GUARD® ELITE LS 10W-40</b>	Ultra high performance diesel (UHPD), severe drain interval, heavy-duty engine oil	API CK-4, CJ-4, CI-4 • ACEA E8, E7, E11 • JASO DH-2 • CATERPILLAR ECF-3, ECF-2, ECF-1a • CUMMINS CES 20086 • DETROIT DIESEL DDC 93K222 • DEUTZ DQC-IV-18LA, DQC-IV-10LA, DQC-III-10LA • MACK EOS-4.5, EO-O PP, EO-N PP • MAN M3775 • MERCEDES/DAIMLER TRUCK MB 228.52 (DTFR 15C120) MB 228.51 (DTFR 15C110) & MB 228.31 (DTFR 15C100) • MTU TYPE 3.1 • RENAULT RLD-3, RLD-2, RLD & RGD • VOLVO VDS-4.5, VDS-4, VDS-3, VDS-2, VDS & CNG

**TRUCK-GUARD: HDDO ENGINE OILS 5W-30**

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® ELITE LS 5W-30</b>	Ultra high performance diesel (UHPD), severe drain interval, heavy-duty engine oil	API CK-4, CJ-4, CI-4 • ACEA E8, E7, E11 • JASO DH-2 • CATERPILLAR ECF-3, ECF-2, ECF-1a • CUMMINS CES 20086, CES 20081 • DAF PSQL 2.1 E LD, PSQL 2.1E • DETROIT DIESEL DDC93K222, DDC 93K218 • DEUTZ DQC IV-18LA, DQC-IV-10LA, DQC-III-10LA • LIEBHERR LH-00-ENG5C LA • MACK EOS-4.5-APPROVED, EO-O PP APPROVED, EO-N PP • MAN M3777-APPROVED, M3775-APPROVED, M3677-APPROVED, M3575, M3477, M3271.1 • MERCEDES/DAIMLER TRUCK MB 228.52 (DTFR 15C120), MB APPROVAL 228.51 (DTFR 15C110) & MB 228.31 (DTFR 15C100) • MTU TYPE 3.1 & TYPE 2.1 • RENAULT RLD-3-APPROVED, RLD-2, RLD & RGD • SCANIA LDF-4 APPROVED, LA • VOLVO VDS 4.5 – APPROVED, VDS-3, VDS-2, VDS & CNG
<b>TRUCK-GUARD® ELITE LS-FE 5W-30</b>	Fully synthetic, ultra high performance diesel (UHPD), heavy-duty engine oil	API FA-4, SN PLUS • JASO DH-2-17, DH-1-17, DH-0-17 • CUMMINS CES 20087 • DETROIT DIESEL DDC 93K223 • MERCEDES / DAIMLER TRUCK MB 228.61 (DTFR 15C130) • VOLVO VDS-5 • RENAULT RLD-5 • MACK EOS-5





# TRUCK-GUARD®

Commercial Lubricant Range



## TRUCK-GUARD: HDDO ENGINE OILS 5W-20

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® ELITE LS-FE 5W-20</b>	Fully synthetic, ultra high performance diesel (UHPD), heavy-duty engine oil	SCANIA LDF-5 • MAN M3977

## TRUCK-GUARD: HDDO ENGINE OILS 5W-40

PRODUCT NAME	DESCRIPTION	SPECIFICATIONS, APPROVALS, AND RECOMMENDATIONS
<b>TRUCK-GUARD® LS 5W-40</b>	Ultra high performance diesel (UHPD), low ash, semi-synthetic engine oil	API CK-4/SN • ACEA E11 • JASO MA2 • CUMMINS 20086 • DETROIT DIESEL 93K222 • MACK EO-S 4.5 • MERCEDES-BENZ/DAIMLER TRUCK 228.31 (DTFR 15C100) • RENAULT RVI RLD-4 • VOLVO VDS-4.5 • ALLISON TES-439 • FORD WSS-M2C171-F1

Depending on the range, Rock Oil products are available in multiple sizes, including 400ml aerosols and 1L / 4L / 5L / 20L / 210L / bulk containers.

All products and information are correct at the time of publication. The company reserves the right to change formulations and specifications without prior notice. For more detailed information on any product and confirmation of the latest specifications please contact us. Full product data sheets and health and safety information is available on request.

Contact [sales@rockoil.co.uk](mailto:sales@rockoil.co.uk) for order information and expert advice.



✉ Malone House, 90 Priestley Street, Warrington, Cheshire, WA5 1ST

☎ +44 (0) 1925 636191

[rockoil.co.uk](http://rockoil.co.uk)